



API 6A

Check Valve

Technical Features

CENTRIC is FZV's Exclusive Representative and Distributor in Brazil
www.centricenergy.com.br | contact@centricenergy.com.br

 www.linkedin.com/company/centric-energy-solution/

Av Presidente Wilson 231
9o andar, Centro, Rio de Janeiro – RJ
T +55 21 4560-3024

API-6A Check Valve

The FZV's API-6A Valves attend the most demanding industry design, manufacturing and testing requirements and features top grade materials for high and ultra-high pressure applications, being qualified by the biggest Oil & Gas International Operators such Shell, Sinopec, CNOOC, Saudi Aramco, Chevron, Petronas, among others


- Oil & Gas Upstream and Pipelines with H₂S and CO₂ presence and other high pressure applications
- Sizes from 52mm to 180mm (2-1/16" to 7-1/16")
- Pressure 2.000 to 15.000 PSI
- Operating Temperature -46C to 121C
- Design by API 6A
- Spec Level PSL3 to PSL4
- Performance Requirement PR1 to PR2



Contact CENTRIC for More Information

Product Features

- Reliable metal sealing
- Small vibration noise during operation
- Easy and Convenient to install and maintain;
- High Pressure application (up to 15.000 PSI)



Contact CENTRIC for More Information